SAFETY DATA SHEET

Spotless™ 195

SECTION 1: IDENTIFICATION

Product identifier used on a label:	**Spotless™ 195**
Product code:	5531
Recommended use of the chemical and restrictions on use:	Industrial use.
Chemical family:	Mixture.
Name, address and phone # of supplier:	Aqua Bond Inc. PO Box 63635, Toronto, ON, M1V 5K2 (416) 754-7211
24 Hr. Emergency phone #	**CANUTEC (613) 996-6666**

SECTION 2: HAZARDS IDENTIFICATION

Classification of the chemical: This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification:
COMBUSTIBLE DUSTS
ACUTE TOXICITY – ORAL: CATEGORY 4 – Harmful if swallowed.
SKIN CORROSION/IRRITATION: CATEGORY 1A – Causes severe skin burns and eye damage.
EYE DAMAGE/IRRITATION: CATEGORY 1 – Causes serious eye damage.
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) – CATEGORY 3 – May cause respiratory irritation.
HAZADOUS TO THE AQUATIC ENVIRONMENT – ACUTE HAZARD – CATEGORY 3: Harmful to aquatic life.

Label elements:



Signal word: Danger

Hazard statements:
H302: Harmful if swallowed.
H314: Causes severe skin burns and eye damage.
H318: Causes serious eye damage.
H335: May cause respiratory irritation.
H402: Harmful to aquatic life.

Precautionary statements:
Prevention
P260: Do not breathe dusts or mists.
P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
P264: Wash hands thoroughly after handling.
P270: Do not eat, drink or smoke when using this product.
P271: Use only outdoors or in well-ventilated area.
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
Response
Ingestion:

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do not induce vomiting.
P330: Rinse mouth.
P310: Immediately call a POISON CENTER or doctor/physician.
Skin:
P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P363: Wash contaminated clothing before reuse.
P310: Immediately call a POISON CENTER or doctor/physician.
Inhalation:
P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P310: Immediately call a POISON CENTER or doctor/physician.
Eyes:
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: Immediately call a POISON CENTER or doctor/physician.
Storage
P403+P233: Store in in well-ventilated place. Keep container tightly closed.
P405: Store Locked up.
Disposal
P501: Dispose of contents/container in accordance with applicable regional, national and local laws and regulations.

Supplemental label elements: Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not taste or swallow. Wash thoroughly after handling. Prevent dust accumulation.

Other hazards: May form combustible dust concentrations in air. Causes severe digestive tract burns.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/ mixture: Mixture

Ingredient name	**CAS Number**	**Concentration (wt. %)**
Sodium Metasilicate Pentahydrate	10213-79-3	30-40%
Sodium Carbonate	497-19-8	20-30%
Sodium Hydroxide	1310-73-2	10-20%

SECTION 4: FIRST-AID MEASURES

Description of first aid measures:

Ingestion: DO NOT induce vomiting, rinse mouth. Administer water if patient is conscious. Immediately call a POISON CENTER or doctor/physician.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Immediately call a POISON CENTER or doctor/physician.

Skin contact: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Immediately call a POISON CENTER or doctor/physician.

Eye contact: Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Immediately call a POISON CENTER or

doctor/physician.

Most important symptoms and effects, both acute and delayed:
Harmful if swallowed. Severely corrosive to the digestive tract, causes severe burns. Causes severe skin burns and eye damage.Causes serious eye damage.May cause respiratory irritation.
Indication of any immediate medical attention and special treatment needed: Not available.
Protection of first-aiders: First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media:	
Suitable	Use dry chemical powder.
Unsuitable	Avoid high pressure media which could cause the formation of a potentially explosive dust-air mixture.
Flash point:	Not Available.
Autoignition:	Not Available.
Temperature:	Not Available.
Special hazards arising from the substance:	
Hazardous thermal decomposition products:	Carbon dioxide, carbon monoxide, sulfur oxides, phosphorus oxides, metal oxides.
Specific hazards:	May form explosive dust-air mixture if depressed. This material is harmful to aquatic life. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Special protective actions for fire-fighters:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. Wear chemical goggles, body-covering protective clothing, chemical resistant gloves, and rubber boots.
Environmental precautions:	Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and materials for containment and cleaning up:	Wear protective eyeware, gloves, and clothing. Refer to Section 8. Always obey local regulations. Containerize for disposal. Refer to Section 13. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Keep in suitable closed containers for disposal. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with HEPA filter and place in closed, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor.
Special spill response procedures:	In case of transportation accident, contact CANUTEC (613) 996-6666.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling:	Put on appropriate personal protective equipment. Avoid exposure – obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container.
Conditions for safe storage:	Storage temperature: 5 to 40°C (41 to 104°F). Store in accordance with local regulations. Store in a segregated and approved area. Store protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials, food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not taste or swallow. Wash thoroughly after handling. Prevent dust accumulation.Containers that have been opened must be resealed and kept upright. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
Incompatible materials:	Acids, moisture, oxidizing materials, reducing materials, combustible materials, organic materials, metals and alkalis.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters:

Exposure limits

Ingredient	**Exposure limits**
10213-79-3	OXY REL 8 hour TWA - 2 mg/m^3
1310-73-2	OSHA Final Permissible Exposure Limit (PEL) TWA – 2 mg/m^3 ACGIH Threshold Limit Value (TLV) TWA –2 mg/m^3

Individual protection measures:	Eyes/face: Chemical splash goggles and face shield. Skin: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Respiratory: Wear appropriate respirator where spray mist occurs. Be sure to use a NIOSH approved dust and mist respirator or equivalent. Hygiene measures: Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Light tan powder
Odor:	Sweet (Light)
Odor threshold:	Not available.
pH:	Not applicable.
Melting point:	Not available.
Freezing point:	Not available.
Initial boiling point and boiling range:	Not available.
Flash point:	Not available.
Evaporation rate:	Not applicable.
Flammability:	Not applicable.
Upper and lower flammability limits:	Not applicable.
Vapour pressure:	Not available.
Vapour density:	Not available.
Relative density:	Not available.
Solubility (in water):	Soluble
VOC	18.2 g/l
Partition coefficient n-octanol/water:	Not applicable.
Auto-ignition temperature:	Not applicable.
Decomposition temperature:	Not available.
Viscosity:	Not available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity and chemical stability:	Stable under recommended storage conditions
Possibility of hazardous reactions and conditions to avoid:	Under normal conditions of storage and use, hazardous reactions will not occur.
Incompatible materials:	Acids, moisture, oxidizing materials, reducing materials, combustible materials, organic materials, metals and alkalis.
Hazardous decomposition products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicity data:

10213-79-3	LD50 Rat Oral: 1280 mg/kg
497-19-8	LD50 Rat Oral: 4090 mg/kg LC50 Rat Inhalation: 2300 mg/m^3/2h LD50 Mouse Dermal: 2210 mg/kg Eyes – Rabbit: 100 mg/24h – Moderate irritant Eyes – Rabbit: 50 mg – Severe irritant Skin – Rabbit: 500 mg/24h – Mild irritant
1310-73-2	Eyes – Rabbit: 0.4 mg – Mild irritant Eyes – Rabbit: 1% – Severe irritant Eyes – Rabbit: 0.05 mg/24h – Severe irritant Skin – Rabbit: 500 mg/24h – Severe irritant
Information on the likely routes of exposure:	Skin and Eyes: yes Inhalation: yes Ingestion: yes
Potential health effects (acute):	Harmful if swallowed. Severely corrosive to the digestive tract, causes severe burns. Causes severe skin burns and eye damage. Causes serious eye damage. May cause respiratory irritation.
Delayed and immediate effects, chronic effects from short and long term exposure:	None known.
Potential chronic health effects:	Chronic or heavy acute ingestion may cause tooth enamel erosion.
Carcinogenicity:	Not listed as a carcinogen.
Mutagenicity:	No known significant effects or critical hazards.
Teratogenicity:	No known significant effects or critical hazards.
Developmental effects:	No known significant effects or critical hazards.
Fertility effects:	No known significant effects or critical hazards.
Sensitization:	No known significant effects or critical hazards.
Toxicological effects:	No known significant effects or critical hazards.
Acute toxicity:	No known significant effects or critical hazards.
Irritation/corrosion:	Causes mild skin irritation. Causes serious eye irritation.

Specific target organ toxicity single exposure: Category 3 – May cause respiratory irritation.
Specific target organ toxicity repeated exposure: Not classified.
Aspiration hazard: Not classified.

SECTION 12 ECOLOGICAL INFORMATION

Toxicity:

10213-79-3	Fish:	LC50 Danorerio (zebra fish): 210 mg/L/96h
	Aquatic Invertebrates:	EC50 Daphnia magna (Water flea): 216 mg/L/96h
	Bacteria:	EC0 Pseudomonas putida: > 1000 mg/L/0.5h
497-19-8	Fish:	LC50 Lepomismacronius: 300 mg/L LC50 Pimephalespromelas: 310-1220 mg/L

	Aquatic Invertebrates:	LC50 Daphnia magna (Water flea): 265 mg/L
1310-73-2	Fish:	LC50 Gambusiaaffins – Adult: 125 ppm/96h
	Aquatic Invertebrates:	EC50 Ceridophaniadubia – Neonate: 40.38 mg/L/48h

Persistence and degradability: Not available.
Bioaccumulative potential: Not available.
Mobility in soil: Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal methods: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: TRANSPORT INFORMATION

	TDG
UN Number:	UN1759
UN proper shipping name:	CORROSIVE SOLID, N.O.S.
Transport hazard class:	8
Packing group:	II
Environmental hazard:	No data available.
Special precautions for user:	**Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident.

SECTION 15: REGULATORY INFORMATION

United States	
Toxic Substances Control Act (TSCA)	All components are listed.
Superfund Amendments and Reauthorization Acts	Section 311/312: Fire hazard; Immediate (acute) health hazard
Canada	
Canadian Domestic Substances List (DSL):	All components are listed.

SECTION 16: OTHER INFORMATION

Revision date: January 25, 2024

ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
UN = United Nations

Disclaimer

While the information and recommendations set forth are believed to be accurate as of data hereof, Aqua Bond Inc., makes no warranty with respect thereto and disclaims all liability from reliance thereon.